

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO. : 7,888,090  
APPLICATION NO. : 10/591,159  
ISSUE DATE : February 15, 2011  
INVENTOR(S) : Jan Barnikow et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

At column 4, line number 45, change "□" to --μ--

At column 17, line number 60, change "□I" to --μI-- and change "□M" to --μM--

At column 17, line number 61, change "□" to --μ--

At column 18, line number 9, change "□" to --μ--

At column 19, line number 28, change "□" to --μ--

At column 19, line number 48, change "□" to --μ-- twice

At column 20, line number 67, change "□" to --μ--

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with 37 CFR § 1.6(a)(4).

Dated: October 28, 2011

Electronic Signature for Harriet M. Strimpel, D.Phil.: /Harriet M. Strimpel, D.Phil./

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Harriet M. Strimpel, D.Phil.  
NEW ENGLAND BIOLABS, INC  
240 County Road  
Ipswich, Massachusetts 01938

1

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO. : 7,888,090  
APPLICATION NO. : 10/591,159  
ISSUE DATE : February 15, 2011  
INVENTOR(S) : Jan Barnikow et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

At column 4, line number 45, change "□" to --μ--

At column 17, line number 60, change "□I" to --μI-- and change "□M" to --μM--

At column 17, line number 61, change "□" to --μ--

At column 18, line number 9, change "□" to --μ--

At column 19, line number 28, change "□" to --μ--

At column 19, line number 48, change "□" to --μ-- twice

At column 20, line number 67, change "□" to --μ--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Harriet M. Strimpel, D.Phil.  
NEW ENGLAND BIOLABS, INC  
240 County Road  
Ipswich, Massachusetts 01938